# AQ+GEOMELT® 55 (formerly known as AQ+IceBite) SAFETY DATA SHEET

# **SECTION 1 — PRODUCT IDENTIFICATION**

Product Identifier:	Enhanced Liquid Salt Solution (20-23% Chlorides) + Corrosion Inhibitor + GeoMelt55			
Synonyms:	AQ+GEOMELT® 55, Ancier	AQ+GEOMELT® 55, Ancient Seawater, Liquid Brine Deicer, Dust Suppressant		
Product Use:	Ice control for road surfaces	Ice control for road surfaces		
Product Restrictions:	None known	None known		
Manufacturer/Supplier	•			
Name:	Nature's Own Source, LLC	Nature's Own Source, LLC		
Address:	7033 Mill Road, Brecksville	7033 Mill Road, Brecksville, OH 44141		
Telephone Number:	440-838-5135	Emergency Telephone:	440-838-5135	
Website:	www.naturesownsource.com	m		

# SECTION 2 — HAZARDS IDENTIFICATION – POTENTIAL HEALTH EFFECTS

Classification:	Not classified	
Label Elements		
Hazard Pictograms:	<u>•</u>	
Signal Word:	Warning	
Hazard Statements:	Does not meet the criteria for classification	
Precautionary Statements		
Route of Entry:	Ingestion, Skin/eye contact, Inhalation	
Human Effects/ Symptoms:	Irritation, Respiratory Tract	
Chronic Inhalation:	Unknown, No information found for chronic system effects	
Acute Skin Contact:	Large, Irritation	
Chronic Skin Contact:	Unknown, No information found for chronic system effects	
Acute Eye Contact:	Irritation, Burning/tears, Salt concentration greater than normal	
Chronic Eye Contact:	Unknown, No information found for chronic system effects	
Acute Ingestion:	Large amounts could include nausea/vomiting/diarrhea, dehydration/brain damage, death/high, contact doctor, drink large quantity of milk or water	
Acute Ingestion:	Small Amounts, less than few grams not harmful	
Chronic Ingestion:	Unknown, No information found for chronic system effects	

# SECTION 2 — HAZARDS IDENTIFICATION – POTENTIAL HEALTH EFFECTS CARCINOGENICITY

NTP / IARC / OSHA:	Not Listed as carcinogen or mutagen
Extended Exposure:	Ingestion may result in hypertension
HMIS:	Health - 1, Flammability - 0, Physical Hazard - 0, Personal Protection - A

#### SECTION 3 — CHEMICAL COMPOSITION INFORMATON ON INGREDIENTS

Chemical Ingredients (specific)	%	CAS Number
Sodium Chloride	7-11	7647-14-5
Calcium Chloride	8-10	10043-52-4
Magnesium Chloride	2-2.5	7786-30-3
Potassium Chloride	0.5-1.5	7447-04-7
Proprietary Corrosion Inhibitor	5	NA
GEOMELT® 55 (fka Ice Bite)	15	NA
Water	Bal.	7732-18-5

# **SECTION 4 — FIRST AID MEASURES**

Eye Contact:	Remove contact lenses if possible and flush with freshwater 15 minutes	
Skin Contact:	Remove contaminated clothing and shoes. Wash immediately with soap and water. Seek medical	
	attention if symptoms develop or persist.	

Inhalation:	Move person to non-contaminated air. Seek immediate attention if person is unconscious or not	
	breathing or other conditions persist.	
Ingestion:	Drink large amounts of water. If gastrointestinal irritation develops, consult medical personnel. Do not induce vomiting without medical advice.	

## SECTION 5 — FIRE AND EXPLOSION DATA AND FIREFIGHTING MEASURES

Extinguishing Media			
Suitable extinguishing media:	Not Applicable – Non Flammable		
Unsuitable extinguishing media: Not Applicable – Non Flammable			
Special hazards arising from the si	Special hazards arising from the substance or mixture		
Fire/explosion hazard:	This product is not flammable or combustible		
Reactivity:	Stable		
Advice for firefighters:	Use standard firefighting procedures and consider the hazards of other involved materials		

#### **SECTION 6 — ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures		
General measures:	Contain spills to prevent contamination of water supply or discharge into sanitary or storm sewers. Wipe up with rags. Vacuum or sweep into containers for proper disposal.	
Protective equipment:	Use appropriate personal protection equipment (PPE) – See Section 8.	
Emergency procedures:	Contain spill. See general measures above.	
Environmental precautions:	Avoid entry to sewers and public waters	

## SECTION 7 — HANDLING AND STORAGE

Avoid skin and eye contact. Use proper protective equipment and good industrial hygiene practices. Store in a closed container away from incompatible materials. Store in a cool, dry place.		
Storage Temperature:	ature: Ambient, Freeze point of -11°F and lower	
Special Sensitivity:	Avoid Contact with Strong Acids	
Handling/Storage Precautions:	Use corrosion-resistant acid containers. Recommend storage in poly tanks. Inspect periodically for leaks in area. Mildly corrosive to metals including aluminum.	

#### SECTION 8 — EXPOSURE CONTROL PERSONAL PROTECTION

Appropriate engineering controls:	Sufficient Ventilation – general mechanical		
Waste Disposal:	Wipe with rags after rinsing. Non-hazardous disposal.		
Personal Protection	Personal Protection		
Eye protection:	Safety glasses/chemical goggles, eye wash fountain		
Hand protection:	Water-proof gloves, as required		
Skin/body protection:	Wear appropriate clothing		
Respiratory protection:	None Required, maintain proper ventilation		
Thermal hazard protection:	None Required		
Other protection:	Wash hands after handling and before eating, drinking and/or smoking.		

# SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Appearance/Color:	Brown
Odor:	Faintly sweet
Odor threshold:	No data available
Flammability:	Non Flammable
Means of Extinction:	Non Flammable
Flashpoint (°C) and Method:	Non Flammable
Upper/Lower Flammable Limit:	Non Flammable
Auto Ignition Temperature (°C):	None
Explosion Data – Sensitivity to Impact/Static Discharge:	None
Hazardous Combustion Products:	None
Relative Density:	1.2 – 1.3 g/ml
Solubility:	Highly soluble in water

Vapor Density (air=1):	Unknown
Boiling Point:	>212°F
Freezing Point:	-11°F or lower
рН:	6.5 – 7.0
Viscosity:	Cp @ 25°C: 32
Evaporation Rate:	Low

## SECTION 10 — STABILITY AND REACTIVITY

Reactivity:	Stable
Chemical Stability:	Stable
Incompatibilities:	Avoid contact with strong acids. Mildly Corrosive to some metal including aluminum
Decomposition Products:	May emit chlorine gas in contact with strong acids

# SECTION 11 — TOXICOLOGICAL PROPERTIES

Route of Entry:		Eye Contact			
Effects of Acute Exposure to Product:		Mild eye irritation, No acute local toxicity, No other adverse effects have been described			
Effects of Chronic Exposure to Product:		None determined			
Exposure Limits					
Irritancy:	Yes, to eyes		Carcinogenicity:	None	
Sensitization:	None		Teratogenicity:	None	
Reproductive Toxicity:	None		Synergistic Products:	None	
Mutagenicity:	None				

#### **SECTION 12 — ECOLOGICAL INFORMATION**

Ecotoxicity:	Not Listed/tested		
Environmental Degradation:	Not Listed. Practically non-toxic to aquatic organisms		
Bioaccumulative Potential:	Rapid biodegradation in the environment, 40% in 5 days		
Persistence/Degradability:	Not Tested		
Environmental Fate/Mobility:	Not Tested		
Mobility in Soil:	Not Tested		
Other Adverse Effects:	Not harmful to the ozone layer		
Corrosion inhibitor is on the TSCA list and as an EPA inert ingredient class 4A GRAS material			
LD50 (rat):	>2000(mg/kg bw)		
LC50 Fish 96h:	>1000.0 mg/L		
LC50 Daphnia 48h:	>1000.0 mg/L		
EC50 green algal 96h:	>1000.0 mg/L		
Fish Chronic value:	>100.0 mg/L		
Daphnia Chronic value:	>100.0 mg/L		
Algal Chronic value:	>100.0 mg/L		

## SECTION 13 — DISPOSAL CONSIDERATIONS

This product is not expected to be hazardous waste, according to US regulations. The use, mixing or altering of the product may alter its properties and hazards. Follow applicable Federal, State and Local regulations, if any.

No EPA Waste Numbers are applicable for these product components

#### **SECTION 14 — TRANSPORTATION CONSIDERATIONS**

US DOT:	Not Regulated as a Hazardous Material for Transportation
DOT Shipping Name:	Not Listed
Technical Shipping Name:	Not Listed
DOT Hazard Class:	Not Listed
UN/NA Number:	Not Listed
Product Rq (lbs.):	Not Listed
DOT Label:	Not Listed
DOT Placard:	N/A

Freight Class Bulk/Package:	N/A			
Product Label:	N/A			
Canadian TDG Information:	Not Regulated as a Dangerous Good for Transportation			
International Air Transport Association (IATA) and International Civil Aviation Organization (ICAO) Information				
Shipping Name:	Not Regulated as a Dangerous Good for Transportation			
International Maritime Dangerous Goods (IMDG) Code				
Shipping Name:	Not Regulated as a Dangerous Good for Transportation			

#### **SECTION 15 — REGULATORY INFORMATION**

A. International Regulations Compo	onent Analysis	International Inve	entory Status		
Chemical Ingredients (specific)	%	CAS Number	US_TSCA	EU-EINECS/CANADA_DSL	
Sodium Chloride	7-11	7647-14-5	Yes/Non Hazardous	Yes/Non Hazardous	
Calcium Chloride	8-10	10043-52-4	Yes/Non Hazardous	Yes/Non Hazardous	
Magnesium Chloride	2-2.5	7786-30-3	Yes/Non Hazardous	Yes/Non Hazardous	
Potassium Chloride	0.5-1.5	7447-04-7	Yes/Non Hazardous	Yes/Non Hazardous	
Proprietary Corrosion Inhibitor	5	NA	Yes/Non Hazardous	Yes/Non Hazardous	
GEOMELT® 55 (fka Ice Bite)	15	NA	Yes/Non Hazardous	Yes/Non Hazardous	
Water	Bal.	7732-18-5	Yes/Non Hazardous	Yes/Non Hazardous	
B. USA Federal & State Regulation	s International	Inventory Status			
OSHA Status:		Not Listed	<u> </u>		
TSCA Status:			Corrosion inhibitor is on TSCA inventory. To be used in compliance with TSCA and R & D exemption, only by a qualified person.		
RCRA Status:		Not Listed			
CERCLA Reportable Quantity SAI	RA Title III				
Section 302 Extremely Hazardo	: Not Listed	Not Listed			
Section 311/312 Hazard Category:		Not Listed			
Section 313 Toxic Chemicals:		Not Listed			
HMIS Rating:		1, 0, 0, A			
State Regulatory Information		1			
CA Proposition 65:			This product contains no substance known to the State of California to		
(0.0.1)			be a carcinogen or to cause reproductive toxicity.		
Company Name/CAS Number:		N/A			
Concentration/State Code:	N/A				

#### **SECTION 16 — OTHER INFORMATION**

CAUTION: Product is clear to cloudy, may be tinted blue in color and is odorless. May be irritating to the eyes or skin and respiratory system. Wash skin with soap and water after removal of clothes or shoes. For eyes, remove contacts, if possible, flush for 15 minutes. Seek medical attention if symptoms persist. See Section 4 above for more detail.

IN CASE OF LARGE SPILL: Stop leak, isolate or contain and attempt to recover while preventing entry into water intakes or sewer systems. Wash spill area with freshwater.

Prepared By: David I. Mansbery, President, Nature's Own Source, LLC, 440-838-5135, <a href="https://www.naturesownsource.com">www.naturesownsource.com</a> Date Prepared: January 1, 2018 (This SDS Supersedes all other MSDS publications)

Disclaimer: All statements, technical information and recommendations contained herein are to the best of our knowledge, reliable and accurate, however, no warranty is made or implied with respect thereto, nor will liability be assumed for damages resultant from the issue of material described. It is the responsibility of the user to comply with all Federal, State and Local laws and regulations. The user should consider the health hazards and safety information provided herein as a guide and should take the necessary steps to instruct employees, and develop work place practice procedures to ensure a safe work environment. The information contained herein is not intended as a license to operate hereunder, or a recommendation to practice or infringe upon any patent of this Company or others covering any process, composition of matter or use.